EN 14470-1 | EN 1363-1 | EN 16121 | FM 6050 | 90 APPROVED EN14470-1 | 105 TESTED EN14470-1 | MADE IN EUROPE



▲ 795+E + C235



1 Standardized labeling



2 Retention shelves



3 Self-closing door with thermo-fuse



4 Removable containment sump



5 Key locking system



6 Moving by pallet truck (empty)



SERCODE code lock



Sloping roof (optional) TP148/TP235

© ECOSAFE reserves the right to discontinue or change specifications or designs at any time without notice and without incurring obligations.10/2023

RANGE 790+

EN 14470-1 | EN 1363-1 | EN 16121 | FM 6050 | 90 APPROVED EN14470-1 | 105 TESTED EN14470-1 | MADE IN EUROPE



▲ 791+E



▲ 792+E + C2



▲ 793+E + C35



▲ 798+E



▲ 794+E



▲ 795+PJE

© ECOSAFE reserves the right to discontinue or change specifications or designs at any time without notice and without incurring obligations. 10/2023

RANGE 790+

EN 14470-1 | EN 1363-1 | EN 16121 | FM 6050 | 90 APPROVED EN14470-1 | 105 TESTED EN14470-1 | MADE IN EUROPE

PRE-EQUIPPED CABINETS

P/N		Type	Number of door(s)	External dimensions H x W x D (mm)	Internal dimensions H x W x D (mm)	Storage capacity (L)	Delivered with		Maximum load by shelf (kg)	Weight (kg)
white	yellow						Retention shelf	Containment sump		
791+E	791+PJE	under-bench	1	630 x 635 x 570 (1)	420 x 490 x 285	30	1	1	30	127
792+E	792+PJE	under-bench	2	630 x 1137 x 570 (1)	420 x 1000 x 285	60	1	1	50	213
798+E	798+PJE	counter	1	1100 x 635 x 670 (2)	820 x 490 x 410	65	2	1	30	182
793+E	793+PJE	counter	2	1100 x 1137 x 670 (2)	820 x 1000 x 410	115	2	1	50	297
794+E	794+PJE	tall	1	1950 x 635 x 620 (3)	1620 x 490 x 410	130	3	1	30	287
795+E	795+PJE	tall	2	1950 x 1137 x 620 (3)	1620 x 1000 x 410	250	3	1	50	453
795+900E	795+900PJE	tall	2	1950 x 905 x 620 (3)	1620 x 765 x 410	200	3	1	46	438

ACCESSORIES

P/N	Description	External dimensions H x W x D (mm)	Weight (kg)
E1	Retention shelf for 1 door cabinet type 791+	30 x 485x 285	3
E2	Retention shelf for 2 doors cabinet type 792+	30 x 992 x 285	6
E48	Retention shelf for 1 door cabinet - W: 635 - D: 670 mm	30 x 490 x 410	3
E35	Retention shelf for 2 doors cabinet - W: 1135 - D: 670 mm	30 x 992 x 410	6
E235-900	Retention shelf for 2 doors cabinet - W: 900 - D: 670 mm	30 x 760 x 410	4
B1	Containment sump for 1 door cabinet type 791+	100 x 480 x 315	3
B2	Containment sump for 1 door cabinet type 792+ - W: 900 - D: 670 mm	100 x 985 x 315	8
B148	Containment sump for 1 door cabinet - W: 635 - D: 670 mm	100 x 480 x 410	4
B235	Containment sump for 2 doors cabinet - W: 1135 - D: 670 mm	100 x 985 x 410	8
B235-900	Containment sump for 2 doors cabinet - W: 900 - D: 670 mm	100 x 753 x 410	8
C1	Perforated cover plate for 1 door cabinet type 791+	90 x 470 x 305	3
C2	Perforated cover plate for 2 doors cabinet type 792+ -W: 635 - D: 670 mm	90 x 980 x 305	6
C148	Perforated cover plate for 1 door cabinet - W: 635 - D: 670 mm	90 x 460 x 395	3
C235	Perforated cover plate for 2 doors cabinet - W: 1135 - D: 670 mm	90 x 975 x 395	6
C235-900	Perforated cover plate for 2 doors cabinet - W: 900 - D: 670 mm	90 x 747 x 400	8
RRA34	4-level shelf + load plate for 795+ cabinets	1570x980x390	-
SERCODE	Digital code lock, equipped with its security key	-	1
SERCODEH	Horizontal digital code lock for ref 791+ and 792+		
TP148	Sloping roof for 1 door cabinet	235 x 640 x 620	10
TP235	Sloping roof for 2 doors cabinet	235 x 1140 x 620	20

(1) Depth with connecting sleeve at the rear. Depth without sleeve: 520 mm
(2) Depth with connecting sleeve at the rear. Depth without sleeve: 620 mm
(3) Height with connecting sleeve above. Height without sleeve: 1900 mm

© ECOSAFE reserves the right to discontinue or change specifications or designs at any time without notice and without incurring obligations.10/2023